Impl

PATENT Customer No. 22,852 Attorney Docket No. 08038.0052

Rate

Additional



04/12/2004 EAREGAY1

01 FC:1251

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:	)
Yasuhiko KOJIMA et al.	) Group Art Unit: 1763
Application No.: 09/918,645	) Examiner: Richard R. Bueker
Filed: August 1, 2001	)
For: GAS PHASE GROWTH SYSTEM, METHOD OF OPERATING THE SYSTEM, AND VAPORIZER FOR THE SYSTEM	) ) ) )
Commissioner for Patents	

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

## TRANSMITTAL LETTER

Enclosed is a reply to the Office Action of December 11, 2003. The item(s) checked below are appropriate:

Applicants hereby petition for a one month extension of time to respond to the above Office Action. The fee of \$110.00 for the Extension is enclosed.

The claims are calculated below:

Claims Remaining

	After Amendment		Previously Paid	Extra			Fee
Total	10	-	20	0	x \$ 18	\$	0
Indep.	1	-	3	0	x \$ 86		0
First	☐ First Presentation of Multiple Dep. Claim(s) +\$290						0
C0000086 09	918645				Subtotal	\$	0
	110.00 0P Reduction by ½ if small entity			-	0		
					TOTAL	\$	0

Highest Number Present

A check for \$110.00 to cover the above fee is enclosed.

Please grant any extensions of time required to enter this response and charge any additional required fees to our deposit account 06-0916.

Dated: April 9, 2004

David W. Hill Reg. No. 28,220



## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:	)			
Yasuhiko KOJIMA et al.	) Group Art Unit: 1763			
Application No.: 09/918,645	) Examiner: Richard R. Bueker			
Filed: August 1, 2001	) )			
For: GAS PHASE GROWTH SYSTEM, METHOD OF OPERATING THE SYSTEM, AND VAPORIZER FOR	) ) )			

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

## REPLY TO OFFICE ACTION

In reply to the Office Action of December 11, 2003, the period for response having been extended to April 11, 2004 (a Saturday/Sunday/Federal Holiday) by a request for extension of one month and fee payment filed concurrently herewith, please amend the above-identified application as follows:

Amendments to the Specification are included in this Reply.

Amendments to the Claims are reflected in the listing of claims in this Reply.

Remarks/Arguments follow the amendment sections of this Reply.